



Originalbeiträge in Fachzeitschriften
2017

| | |
|----|--|
| 1. | Weidenauer A, Bauer M, Sauerzopf U, Bartova L, Praschak-Rieder N, Sitte HH, Kasper S, Willeit M: Making sense of: Sensitization in Schizophrenia <u>Int J Neuropsychoph</u> 2017, 20(1): 1-10 |
| 2. | Tournier N, Goutal S, Auvity S, Traxl A, Mairinger S, Wanek T, Helal OB, Buvat I, Soussan M, Caillé F, Langer O: Strategies to inhibit ABCB1- and ABCG2-mediated efflux transport of erlontinib at the blood-brain barrier: a PET study in non-human primates. <u>J Nucl Med</u> 2017, 58: 117-122 |
| 3. | Novak P, Schmidt R, Kontsekova E, Zilka N, Kovacech B, Skrabana R, Vince-Kazmerova Z, Katina S, Fialova L, Prcina M, Parrak V, Dal-Bianco P, Brunner M, Staffen W, Rainer M, Ondrus M, Ropele S, Smisek M, Sivak R, Winblad B, Novak M: Safety and immunogenicity of the tau vaccine AADvac1 in patients with Alzheimer's disease: a randomised, double-blind, placebo-controlled, phase 1 trial. <u>Lancet Neurol</u> 2017, 16: 123-34 |
| 4. | Grunewald C, Sauberer M, Filip T, Wanek T, Stanek J, Mairinger S, Rollet S, Kudejova P, Langer O, Schütz C, Blaickner M, Kuntner C: On the applicability of [18F]FBPA to predict L-BPA concentration after amino acid preloading in HuH-7 liver tumor model and the implication for liver boron neutron capture therapy. <u>Nucl Med Biol</u> 2017, 44: 83-89 |
| 5. | Wiesholzer M, Winter A, Kussmann M, Zeitlinger M, Pichler P, Burgmann H, Reznicek G, Poepl W: Compatibility of meropenem with different commercial peritoneal dialysis solutions. <u>Periton Dialysis Int</u> 2016 Sep 7 [Epub ahead of print] 2017, 37: 51-55 |
| 6. | Niess F, Fiedler GB, Schmid AI, Goluch S, Kriegl R, Wolzt M, Moser E, Meyerspeer M: Interleaved multivoxel ³¹ P MR spectroscopy. <u>Magn Reson Med</u> 2016 Feb 23 [Epub ahead of print] 2017, 77: 921-927 |
| 7. | Werkmeister RM, Sapeta S, Schmidl D, Garhöfer G, Schmidinger G, Aranha Dos Santos V, Aschinger GC, Baumgartner I, Pircher N, Schwarzshans F, Pantalon A, Dua A, Schmetterer L: Ultrahigh-resolution OCT imaging of the human cornea. <u>Biomed Opt Express</u> 2017, 8(2): 1221-1239 |
| 8. | Fialova S, Augustin M, Fischak C, Schmetterer L, Handschuh S, Glösmann M, Pircher M, Hitzemberger CK, Baumann B: Posterior rat eye during acute intraocular pressure elevation studied using polarization sensitive optical coherence tomography. <u>Biomed Opt Express</u> 2017, 8(11): 298-314 |

| | |
|-----|--|
| 9. | Bauer M, Karch R, Tournier N, Cisternino S, Wadsak W, Hacker M, Marhofer P, Zeitlinger M, Langer O: Assessment of p-glycoprotein transport activity at the human blood-retinal barrier with (R)-11C-verapamil PET. <u>J Nucl Med</u> 2016 Oct 13 [Epub ahead of print] 2017, 58(4): 678-681 |
| 10. | Scarpiagnato C, Dolak W, Lanas A, Matzneller P, Renzulli C, Grimaldi M, Zeitlinger M, Bjarnason I: Rifaximin reduces number and severity of intestinal lesions associated with use of non-steroidal anti-inflammatory drugs in humans. <u>Gastroenterology</u> 2016 Dec 19 [Epub ahead of print] 2017, 152: 980-982 |
| 11. | Schwameis M, Kündis T, Huber G, von Bidder L, Meinel L, Weisser R, Aberer E, Härter G, Weinke T, Jelinek T, Fätkenheuer G, Wollina U, Burchard GD, Aschoff R, Nischik R, Sattler G, Popp G, Lotte W, Wiechert D, Eder G, Maus O, Staubach-Renz P, Gräfe A, Geigenberger V, Naudts I, Sebastian M, Reider N, Weber R, Heckmann M, Reisinger EC, Klein G, Wantzen J, Jilma B: Topical azithromycin treatment for the prevention of Lyme borreliosis: Results from a randomised, placebo-controlled phase 3 efficacy trial. <u>Lancet Infect Dis</u> 2016 Dec 19 [Epub ahead of print] 2017, 17: 322-329 |
| 12. | Niezgoda P, Sikora J, Baranska M, Sikora A, Buszko K, Sieminska E, Marszall MP, Siller-Matula JM, Jilma B, Alexopoulos D, Fabiszczak T, Kubica J: Crushed sublingual versus oral ticagrelor administration strategies in patients with unstable angina. A pharmacokinetic/pharmacodynamics study. <u>Thromb Haemost</u> 2017, 117: 718-726 |
| 13. | Schörghofer C, Schwameis M, Wohlfarth P, Brostjan C, Abrams ST, Toh CH, Jilma B: Granulocyte colony stimulating factor (G-CSF) increases histone-complexed DNA plasma levels in healthy volunteers. <u>Clin Exp Med</u> 2016 Mar 22 [Epub ahead of print] 2017, 17: 243-249 |
| 14. | Matzneller P, Strommer S, Drucker C, Petroczi K, Schörghofer C, Lackner E, Jilma B, Zeitlinger M: Colistin reduces LPS-triggered inflammation in a human sepsis model in vivo: a randomized controlled trial. <u>Clin Pharmacol Ther</u> 2016 Nov 19 [Epub ahead of print] 2017, 101(6): 773-781 |
| 15. | Minichmayr IK, Schöftlein A, Kuti JL, Zeitlinger M, Kloft C: Clinical determinants of target non-attainment of linezolid in plasma and interstitial space fluid: a pooled population pharmacokinetics analysis with focus on critically ill patients. <u>Clin Pharmacokinet</u> 2016 Oct 17 [Epub ahead of print] 2017, 56:617-633 |

| | |
|-----|---|
| 16. | Aschinger GC, Schmetterer L, Fondi K, Aranha Dos Santos V, Seidel G, Garhöfer G, Werkmeister RM: Effect of diffuse luminance flicker light stimulation on total retinal blood flow assessed with dual-beam bidirectional Doppler OCT. <u>Invest Ophthalmol Vis Sci</u> 2017, 58:1167-1178 |
| 17. | Klebermass-Schrehof K, Aumüller S, Goeral K, Vergesslich-Rothschild K, Fuiko R, Brandstetter S, Berger A, Jilma B, Haiden N: Biometry of the corpus callosum assessed by 3D-ultrasound and its correlation to neurodevelopmental outcome in very low birth weight infants. <u>J Perinatol</u> 2017, 37: 448-453 |
| 18. | Hell L, Wisgrill L, Ay C, Spittler A, Schwameis M, Jilma B, Pabinger I, Altevogt P, Thaler J: Procoagulant extracellular vesicles in amniotic fluid. <u>Transl Res</u> 2017, 184: 12-20 |
| 19. | Vodopiutz J, Mizumoto S, Lajusch E, Rossi A, Unger S, Janocha N, Constantini R, Seidl R, Greber-Platzer S, Yamada S, Müller T, Jilma B, Ganger R, Superti-Furga A, Ikegawa S, Sugahara K, Janecke AR: Chondroitin sulfate-n-acetylgalactosaminyl-transferase-1 (CSGALNACT-1) deficiency results in a mild skeletal dysplasia and joint laxity. <u>Hum Mutat</u> 2017, 38: 34-38 |
| 20. | Kazianka L, Drucker C, Skrabs C, Thomas W, Melchardt T, Struve S, Bergmann M, Staber PB, Porpaczy E, Einberger C, Heinz M, Hauswirth A, Raderer M, Pabinger I, Thalhammer R, Egle A, Wendtner CM, Follows G, Hoermann G, Quehenberger P, Jilma B, Jaeger U: Ristocetin-induced platelet aggregation for monitoring of bleeding tendency in CLL treated with ibrutinib. <u>Leukemia</u> 2017, 31(5): 1117-1122 |
| 21. | Giurgea GA, Brunner-Ziegler S, Jilma B, Sunder-Plassmann R, Koppensteiner R, Gremmel T: Plasminogen activator inhibitor-1 4G/5G genotype and residual venous occlusion following acute unprovoked deep vein thrombosis of the lower limb: a prospective cohort study. <u>Thromb Res</u> 2017, 153: 71-75 |
| 22. | Schörghofer C, Hobl EL, Schwameis M, Gelbenegger G, Staudinger T, Heinz G, Speidl WS, Zauner C, Reiter B, Lang I, Jilma B: Acetylsalicylic acid in critically ill patients: a cross-sectional and a randomized trial <u>Eur J Clin Invest</u> 2017 47(7): 504-512 |
| 23. | Schmidl D, Werkmeister RM, Kaya S, Unterhuber A, Witkowska KJ, Baumgartner R, Höller S, O'Rourke M, Peterson W, Wolter An, Prinz M, Schmetterer L, Garhöfer G: A controlled, randomized, double blind study to evaluate the safety and efficacy of Chitosan-N-acetylcysteine for the treatment of dry eye syndrome. <u>J Ocul Pharmacol Th</u> 2017, 33(5); 375-382 |

| | |
|-----|--|
| 24. | Matt U, Selchow P, Dal Molin M, Strommer S, Sharif O, Schilcher K, Andreoni F, Stenzinger A, Zinkernagel AS, Zeitlinger M, Sander P, Nemeth J: Chloroquine enhances the antimycobacterial activity of isoniazid and pyrazinamide by reversing inflammation-induced macrophage efflux <u>Int J Antimicrob Agents</u> 2017, 50(1): 55-62 |
| 25. | Böhm T, Pils S, Gludovacz E, Szöllösi H, Petroczi K, Majdic O, Quaroni A, Borth N, Valent P, Jilma B: Quantification of human diamine oxidase <u>Clin Biochem</u> 2016 Dec 29 [Epub ahead of print] 2017, 50: 444-451 |
| 26. | Wozniak PA, Schmidl D, Bata AM, Fondi K, Witkowska KJ, Aranha Dos Santos V, Baar C, Room KI, Nepp J, Baumgartner I, Popa-Cherecheanu A, Garhöfer G, Werkmeister RM, Schmetterer L: Effect of different lubricant eye gels on tear film thickness as measured with ultrahigh-resolution optical coherence tomography. <u>Acta Ophthalmol</u> 2016 Dec 18 [Epub ahead of print] 2017, 95: e307-e313 |
| 27. | Andreas M, Moayedifar R, Wiselthaler G, Wolzt M, Riebandt J, Haberl T, Angleitner P, Schläglhofer T, Wiedemann D, Schima H, Laufer G, Zimpfer D: Increased thromboembolic events with dabigatran compared with vitamin K antagonism in left ventricular assist device patients: a randomized controlled pilot trial. <u>Circ-Heart Fail</u> 2017, 10(5):e003709 |
| 28. | Urban MH, Eickhoff P, Funk GC, Burghuber OC, Wolzt M, Valipour A: Increased brachial intima-media thickness is associated with circulating levels of asymmetric dimethylarginine in patients with COPD. <u>Int J COPD</u> 2017, 12: 169-176 |
| 29. | Muin DA, Sheikh Rezqei S, Tremmel-Scheinost M, Salama M, Luger A, Wolzt M, Husslein PW, Bayerle-Eder M: Men's sexual response to female partner's intranasal oxytocin administration for hypoactive sexual desire disorder: an open prospective cohort study. <u>Fertil Steril</u> 2017, 107(3): 781-787 |
| 30. | Freystaetter K, Andreas M, Perkmann T, Kaider A, Masetti M, Kocher A, Wolzt M, Zuckermann A: The recipient's heme oxygenase-1 promoter region polymorphism is associated with cardiac allograft vasculopathy. <u>Transpl Int</u> 2017, 30: 510-518 |
| 31. | Andreas M, Panzenboeck A, Shabaniyan S, Mannhalter Cm, Petzl A, Wolzt M, Ehrlich M, Lang I: The VKORC1 polymorphism rs9923231 is associated with aneurysms of the ascending aorta in an Austrian population. <u>Throm Res</u> 2017, 152: 41-43 |

| | |
|-----|---|
| 32. | Sheikh Rezaei S, Geroldinger A, Heinze G, Reichhart B, Wolzt M: Clopidogrel, pasugrel, or ticagrelor use and clinical outcome in patients with acute coronary syndrome: a nationwide long-term registry analysis from 2009-2014 <u>Int J Cardiol</u> 2017; 235: 61-66 |
| 33. | Sharma S, Ang M, Najjar RP, Sng C, Cheung CY, Rukmini AV, Schmetterer L, Milea D: Optical coherence tomography angiography in acute non-arteritic anterior ischaemic optic neuropathy. <u>Brit J Ophthalmol</u> 2017, 101:1045-1051 |
| 34. | Steffen J, Krohn M, Schwitlick C, Vrüning T, Paarmann K, Pietrzik CU, Biversal H, Jansone B, Langer O, Phanke J: Expression of endogenous mouse APP modulates β -amyloid deposition in hAPP-transgenic mice. <u>Acta Neuropathol</u> 2017, 5:49 |
| 35. | Kral-Pointner JB, Schrottmaier WC, Horvath V, Batler H, Hell L, Ay C, Niederreiter B, Jilma B, Schmid JA, Assinger A, Mackman N, Knapp S, Schabbauer G: Myeloid but not epithelial tissue factor exerts protective anti-inflammatory properties in acid aspiration-induced acute lung injury. <u>J Thromb Haemost</u> 2017, 15: 1625-1639 |
| 36. | Schörghofer C, Hobl EL, Staudinger T, Speidl WS, Heinz G, Siller-Matula J, Zauner C, Reiter B, Kubivca J, Jilma B: Prasugrel in critically ill patients <u>Thromb Haemost</u> 2017, 117: 1582-1587 |
| 37. | Lassen ML, Muzik O, Beyer T, Hacker M, Ladefoged CN, Cal-Gonzalez J, Wadsak W, Rausch I, Langer O, Bauer M: Reproducibility of quantitative brain imaging using a PET-only and a combined PET/MR system. <u>Front Neurosci</u> 2017, 11: 396 |
| 38. | Dorn C, Nowak H, Weidemann C, Martini S, Zeitlinger M, Adamzik M, Kees : Decreased protein binding of moxifloxacin in patients with sepsis? <u>GMS Infect Dis</u> 2017, 5: ISSN 2195-8831 |
| 39. | Simader E, Traxler D, Kasiri MM, Hofbauer H, Wolzt M, Glogner C, Storcka A, Mildner M, Gouya G, Geusau A, Fuchs C, Eder C, Graf A, Schaden M, Golabi B, Aretin MB, Suessner S, Gabriel C, Keletko W, Tschachler E, Ankersmit HJ: Safety and tolerability of topically administered autologous, apoptotic PBMC secretome (APOSEC) in dermal wounds: a randomized Phase 1 trial (MARSYASI) <u>Sci Rep</u> 2017, 7(1): 6216 |
| 40. | Bauer M, Wulkersdorfer B, Karch R Philippe C, Jäger W, Stanek J, Wadsak W, Hacker M, Zeitlinger M, Langer O, Zeitlinger M: Effect of P-glycoprotein inhibition at the blood-brain barrier on brain distribution of (R)-[11C]verapamil in elderly versus young subjects. <u>Br J Clin Pharm</u> 2017, 83: 1991-1999 |
| 41. | Bauer M, Wulkersdorfer B, Karch R Philippe C, Jäger W, Stanek J, Wadsak W, Hacker M, Zeitlinger M, Langer O, Zeitlinger M: Effect of P-glycoprotein inhibition at the blood-brain barrier on brain distribution of (R)-[11C]verapamil in elderly versus young subjects. <u>Br J Clin Pharm</u> 2017, 83: 1991-1999 |

| | |
|-----|--|
| 42. | Kreissl A, Sauerzapf E, Repa A, Binder C, Thanhaeuser M, Jilma B, Ristl R, Berger A, Haiden N: Starting enteral nutrition with preterm single donor milk instead of formula affects time to full enteral feeding in very low birth weight infants. <u>Acta Paediatr</u> 2017, 106: 1460-1467 |
| 43. | Matsuda A, Karch R, Bauer M, Traxl A, Zeitlinger M, Langer O: A prediction method for p-glycoprotein-mediated drug-drug interactions at the human blood-brain barrier from blood concentration-time profiles, validated with PET data. <u>J Pharm Sci</u> 2017, 106(9): 2780-2786 |
| 44. | Ernstbrunner M, Kabon B, Zotti O, Zeitlinger M, Berner C, Hinterholzer G, Säemann M, Frommlet F, Fleischmann E, Hecking M: Intravenous fluid challenge decreases intracellular volume: a bioimpedance spectroscopy-based crossover study in healthy volunteers. <u>Sci Rep</u> 2017, 7(1):9644 |
| 45. | Siller-Matulla J, Lang IM, Schörghofer C, Röst M, Jilma B: Interdependence between osteoprotegerin and active von Willebrand Factor in the prediction of long-term cardiovascular mortality after PCI. <u>Thromb Haemost</u> 2017, 117: 1730-1738 |
| 46. | Schörghofer C, Matzneller P, Mußbacher M, Schmid JA, Jilma-Stohlawetz P, Zeitlinger M, Jilma B: Colistin dampens fibrinolysis and endothelial activation during endotoxaemia. A randomised, double blind trial. <u>Thromb Haemost</u> 2017, 117: 1714-1721 |
| 47. | Schwameis R, Syre S, Marhofer D, Appelt A, Brau D, Sarahrudi k, Kloft C, Zeitlinger M: Pharmacokinetics of cefuroxime in synovial fluid. <u>Antimicrob Agents Chemother</u> 2017, 61(10): e00992-17 |
| 48. | Mühlbacher J, Jilma B, Wahrmann M, Bartko J, Eskandary F, Schörghofer C, Schwameis M, Parry GC, Gilbert JC, Panicker S, Böhmig GA: Blockade of HLA antibody-triggered classical complement activation in sera from subjects dosed with the anti-c1s monoclonal antibody TNT009 – results from a randomized first-in-human phase 1 trial. <u>Transplantation</u> 2017, 101(10): 2410-2418 |
| 49. | Wulkersdorfer B, Jaros D, Eberl S, Poschner S, Jäger W, Consentini E, Zeitlinger M, Schwameis R: Human Bile reduces antimicrobial activity of selected antibiotics against enterococcus faecalis and Escherichia coli in vitro. <u>Antimicrob Agents Chemother</u> 2017, 61(8): e00527-17 |
| 50. | Grunewald C, Sauberer M, Filip T, Wanek T, Stanek J, Mairinger S, Rollet S, Kudejova P, Langer O, Schütz C, Blaickner M, Kuntner C: On the applicability of [18F]FBPA to predict L-BPA concentration after amino acid preloading in HuH-7 liver tumor model and the implication for liver voron neuron capture therapy. <u>Nucl Med Biol</u> 2017, 44: 83-89 |
| 51. | Staufer K, Dengler M, Huber H, Marculescu R, Staufer R, Lackner C, Dienes HP, Kivaranovic D, Schachner C, Zeitlinger M, Wulkersdorfer B, Rauch P, Prager G, Trauner M, Mikulits W: The non-invasive serum biomarker soluble Axl accurately detects advanced liver fibrosis and cirrhosis. <u>Cell Death Dis</u> 2017, 8: e3135 |

| | |
|-----|--|
| 52. | Schwameis R, Syré S, Sarahrudi K, Appelt AK, Marhofer D, Burau D, Kloft C, Zeitlinger M: Penetration of linezolid into synovial fluid and muscle tissue after elective arthroscopy. <u>J Antimicrob Chemother</u> 2017, 72:2817-2822 |
| 53. | Bartko J, Derhaschnig U, Neels T, Nabozny GH, Harcken C, Leuschner J, De Vries F, Jilma B: Selective glucocorticoid receptor modulation inhibits cytokine responses in a canine model of mild endotoxemia. <u>Pharmacol Res</u> 2017, 125(Pt B): 215-223 |
| 54. | Schörghenhofer C, Buchtele N, Schwameis M, Bartko J, Jilma B, Jilma-Stohlawetz P: The use of frozen plasma samples in thromboelastometry. <u>Clin Exp Med</u> 2017, 17: 489-497 |
| 55. | Hadzijasufovic E, Albrecht-Schgoer K, Huber K, Loermann G, Grebien F, Eisenwort G, Schgoer W, Herndlhofer S, Kaun C, Theurl M, Sperr WR, Rix U, Sadovnik I, Jilma B, Chernthaner GH, Wojta J, Wolf D, Superti-Furga G, Kirchmair R, Valent P: Nilotinib-induced vasculopathy: Identification of vascular endothelial cells as a primary target site. <u>Leukemia</u> 2017, 31: 2388-2397 |
| 56. | Sponder M, Campean IA, Dalos D, Emich M, Fritzer-Szekeres M, Litschauer B, Berlger-Klein J, Graf S, Strametz-Juranek J: Effect of long-term physical activity on PCSK9, high- and low-density lipoprotein cholesterol, and lipoprotein(a) levels: a prospective observational trial. <u>Pol Arch Med Wewn</u> 2017, 127 (7-8): 506-511 |
| 57. | Sponder M, Campean IA, Emich M, Fritzer-Sezekeres M, Litschauer B, Berlger-Klein J, Graf S, Strametz-Juranek J: Endurance training significantly increases serum endocan but not osteoprotegrin levels: a prospective observational study. <u>BMC Cardiovasc Disord</u> 2017, 17(1): 13 |
| 58. | Sponder M, Campean IA, Emich M, Fritzer-Szekeres M, Litschauer B, Bergler-Klein J, Graf S, Strametz-Koller J: Long-term endurance training increases serum cathepsin S and decreases IL-6 and hsCRP levels. <u>J Sport Sci</u> 2017, 35(21): 2129-2134 |
| 59. | Österreicher Z, Minichmayr I, Sauermann R, Marhofer D, Lackner E, Jäger W, Maier-Salamon A, Schwameis R, Klot C, Zeitlinger M: Pharmacokinetics of doripenem in plasma and epithelial lining fluid (ELF): comparison of two dosage regimens. <u>Eur J Clin Pharmacol</u> 2017, 73(12): 1609-1613 |
| 60. | Schörghenhofer C, Jilma B: Ocrelizumab in Primary Progressive and Relapsing Multiple Sclerosis. <u>New Engl J Med</u> 2017, 376(17): 1693 |
| 61. | Fondi K, Wozniak PA, Howorka K, Bata AM, Aschinger GC, Popa-Cherecheanu A, Witkowska KJ, Hommer A, Schmidl D, Werkmeister RM, Garhöfer G, Schmetterer L: Retinal oxygen extraction in individuals with type 1 diabetes with no or mild diabetic retinopathy. <u>Diabetologia</u> 2017, 60: 1534-1540 |

| | |
|-----|--|
| 62. | Witkowska KJ, Bata AM, Calzetti G, Luft N, Fondi K, Wozniak PA, Schmidl D, Bolz M, Popa-Cherecheanu A, Werkmeister RM, Garhöfer G, Schmetterer L: Optic nerve head and retinal blood flow regulation during isometric exercise as assessed with laser speckle flowgraphy. <u>Plos One</u> 2017, 12(9): e0184772 |
| 63. | Kusmann M, Baumann A, Hauer S, Picher P, Zeitlinger M, Wiesholzer M, Burgmann H, Poepl W, Reznicek G: Compatibility of fosomycin with different commercial peritoneal dialysis solutions. <u>Eur J Clin Microbiol Infect Dis</u> 2017, 36: 2237-2242 |
| 64. | Jilma-Stohlawetz P, Fritsche-Polanz S, Quehenberger P, Schörghofer C, Bartko J, Ristl R, Jilma B: Evaluation of between, within- and day-to-day variation of coagulation measured by rotational thrombelastometry (ROTEM). <u>Scand J Clin Lab Invest</u> 2017, 77(78): 651-657 |
| 65. | Binder L, Sheikh Rezaei S, Baierl A, Gruber L, Wolzt M, Valenta C: Confocal raman spectroscopy: in vivo measurement of physiological skin parameters – a pilot study. <u>J Dermatol Sci</u> 2017, 88(3): 280-288 |
| 66. | Weisshaar S, Litschauer B, Eipeldauer M, Hobl EL, Wolzt M: Ticagrelor mitigates ischemia-reperfusion induced vascular endothelial dysfunction in healthy young males - a randomised, single-blind study. <u>Brit J Clin Pharmacol</u> 2017, 83: 2651-2660 |
| 67. | Gelbenegger G, Buchtele N, Schörghofer C, Röggl M, Schwameis M: Severe Hypernatraemic dehydration and unconsciousness in a care-dependent inpatient treated with empagliflozin. <u>Drug Saf – Case Rep</u> 2017, 4: 17 |
| 68. | Traxl A, Komposch K, Glitzner E, Wanek T, Mairinger S, Langer O, Sibilica M: Hepatocyte-specific deletion of EGFR in mice reduces hepatic abcg2 transport activity measured by [11C]erlotinib and oitorn emission tomography. <u>Drug Metal Dispos</u> 2017, 45: 1093-1100 |
| 69. | Traxl A, Beikbaghban T, Wanek T, Kryeziu K, Pirker C, Mairinger S, Stanek J, Filip T, Sauberer M, Kuntner C, Berger W, Langer O: [11C]Erlotinib PET cannot detect acquired erlotinib resistance in NSCC tumor xenografts in mice. <u>Nucl Med Biol</u> 2017, 52: 7-15 |
| 70. | Hobl EL, Jilma B: Tecarfarin: A novel vitamin K antagonist. <u>Thromb Haemost</u> 2017, 117: 2009-2011 |
| 71. | Eibenberger K, Schmetterer L, Rezar-Dreindl S, Wozniak P, Told R, Mylonas G, Krall C, Schmidt-Erfurth U, Sacu S: Effects of intravitreal dexamethasone implants on retinal oxygen saturation, vessel diameter, and retrobulbar blood flow velocity in ME secondary to RVO. <u>Invest Ophth Vis Sci</u> 2017, 58: 5022-5029 |
| 72. | Mölzer C, Wallner M, Kern C, Tosevska A, Zadnikar R, Doberer D, Marculescu R, Wagne KH: Characteristics of the heme catabolic pathway I mild unconjugated hyperbilirubinemia and their associations with inflammation and disease prevention. <u>Sci Rep</u> 2017, 7: 755 |

| | |
|-----|--|
| 73. | Sponder M, Sopecky C, Campean IA, Emich M, Fritzer-Szekeres M, Litschauer B, Graf S, Säemann MD, Strametz-Juranek J: Spots and HDL-quality reflected by serum amyloid A and surfactant protein B <u>Int J Med Sci</u> 2017, 14: 1040-1048 |
| 74. | Sponder M, Campean IA, Dalos D, Emich M, Fritzer-Szekeres M, Litschauer B, Bergler-Klein J, Graf S, Strametz-Juranek J: Effect of long-term physical activity on PCSK9, high- and low-density lipoprotein cholesterol, and lipoprotein(a) levels: a prospective observational trial. <u>Pol Arch Med Wewn</u> 2017, 127(7-8): 506-511 |
| 75. | Rötzer A, Jilma B, Eibl MM: Vaccine against toxic shock syndrome in a first-in-man clinical trial. <u>Expert Rev Vaccines</u> 2017, 16(2): 81-83 |
| 76. | Graser-Löscher G, Schönhuber A, Gilenec C, Eberl S, Krupitza G, Mader RM, Jadav SS, Jayaprakash V, Fritzer-Szekeres M, Szekeres T, Saiko P: Thiosemicarbazone derivatives, thiazolyl hydrazones, effectively inhibit leukemic tumor cell growth: down-regulation of ribonucleotide reductase activity and synergism with arabinofuranosylcytosine. <u>Food Chem Toxicol</u> 2017. 108: 53-62 |
| 77. | Siller-Matula J, Lang IM, Schörghofer C, Roest M, Jilma B: Interdependence between osteoprotegerin and active von Willebrand factor in long-term cardiovascular mortality prediction in patients undergoing percutaneous coronary intervention. <u>Thromb Haemost</u> 2017, 117(9): 1730-1738 |
| 78. | Andreas M, Moayedifar R, Wiselthaler G, Wolzt M, Riebandt J, Haberl T, Angleitner P, Schlöglhofer T, Wiedemann D, Schima H, Laufer G, Zimpfer D: Response by Andreas et al to letter regarding article, "Increased thromboembolic events with dabigatran compared with vitamin K antagonism in left ventricular assist device patients: a randomized controlled pilot trial" <u>Circ Heart Fail</u> 2017, 10: e004309 |
| 79. | Fischak C, Klaus R, Werkmeister RM, Hohenadl C, Prinz M, Schmetterer L, Garhöfer G: Effect of topically administered Chitosan-N-acetylcysteine on corneal wound healing in a rabbit model. <u>J Ophthalmol</u> 2017, 2017: 5192924 |
| 80. | Layana AG, Minnella AM, Garhöfer G, Aslam T, Holz FG, Leys A, Silva R, Delcourt C, Souied E, Seddon JM: Vitamin D and age-related macular degeneration. <u>Nutrients</u> 2017, 9: 1120 |
| 81. | Jilma-Stohlawetz P, Werford-Bush T, Mills F, Davidson F, Kursten FW, Jilma B, Birchall J: False-positive pregnancy test after transfusion of solvent/detergent-treated plasma. <u>Transfusion</u> 2017, 57(12): 2965-2968 |
| 82. | Gabriel M, Kruger R, Shams-Mafi F, Hermann B, Zabihiyan B, Schmetterer L, Drexler W, Binder S, Esmaeelpour M: Mapping retinal and choroidal thickness in unilateral nongranulomatous acute anterior uveitis using three-dimensional 1060-nm optical coherence tomography. <u>Invest Ophth Vis Sci</u> 2017, 58(11): 4778-4783 |

| | |
|-----|--|
| 83. | Sharma S, Ang M, Najjar RP, Sng C, Cheung CY, Rukmini AV, Schmetterer L, Milea D: Optical coherence tomography angiography in acute non-arteritic anterior ischaemic optic neuropathy. <u>Br J Ophthalmol</u> 2017, 101(8): 1045-1051 |
| 84. | Augustin M, Fialova S, Fischak C, Schmetterer L, Hitzenberger CK, Baumann B: Ocular fundus pulsations within the posterior rat eye: Choioscleral motion and response to elevated intraocular pressure. <u>Sci Rep</u> 2017, 7(1):8780 |
| 85. | Popa-Cherecheanu A, Iancu RC, Schmetterer L, Pirulescu R, Covitir V: Intraocular pressure, axial length, and refractive changes after phacoemulsification and trabeculectom for open-angle glaucoma. <u>J Ophthalmol</u> 2017, 2017: 1203269 |
| 86. | Kadziauskiene A, Strelkauskaite E, Mockeviciute E, Asoklis R, Lesinskas E, Schmetterer L: Changes in macular thickness after trabeculectomy with or without adjunctive 5-fluorouracil. <u>Acta Med Litu</u> 2017, 24(2): 93-100 |
| 87. | Bauer M, Matsuda A, Wulkersdorfer B, Philippe C, Traxl A, Özvegy-Laczka C, Stanek J, Nics L, Klebermass EM, Poschner S, Jäger W, Patik I, Bakos E, Szakacs G, Wadsak W, Hacker M, Zeitlinger M, Langer O: Influence of OATPs on hepatic disposition of erlotinib measured with positon emission tomography. <u>Clin Pharmacol Ther</u> 2017 Sep 22 [Epub ahead of print] |
| 88. | Eskandary F, Jilma B, Mühlbacher J, Wahrmann M, Regele H, Kozakowski N, Panicker S, Parry GC, Reeve J, Gilbert JC, Halloran PF, Böhmig GA: Anti-C1s monoclonal antibody sutimlimab BIVV009 in late antibody-mediated kidney allograft rejection – results from a first-in-human phase 1 trial. <u>Am J Transplant</u> 2017 Oct 5 [Epub ahead of print] |
| 89. | Kubica J, Adamski P, Buszko K, Kubica A, Kuliczkowski W, Fabiszak T, Jilma B, Alexopoulos D, Pacviorek P, Navarese EP: Rationale and Design of the effectiveness of LowEr maintenance dose of Ticagrelor early ater myocardial infarction (ELECTRA) pilot study. <u>Eur Heart J Cardiovasc Pharmacovother</u> 2017 Oct 10 [Epub ahead of print] |
| 90. | Courrier E, Renault D, Kaspi M, Marcon A, Lambert V, Garcin T, Chiambaretta F, Garhöfer G, Thuret G, Gain P: Micro-instillation of fluoresscein with an inoculation loop for ocular surface staining in dry eye syndrome. <u>Acta Ophthalmol</u> 2017 Oct 25 [Epub ahead of print] |
| 91. | Yang CT, Ghosh KK, Padmanabhan P, Langer O, Liu J, Halldin C, Gulyas BZ: PET probes for imaging pancreatic islet cells. <u>Clin Trans Imaging</u> 2017, 5(6): 507-523 |